2009 Taiwan New Product Gallery

Text & Photos: Editorial Dept.



KTM Myroon Prestige

KTM's Myroon Prestige is lighter than most road bikes. KMT's newly defined carbon monocoque technology makes possible a hardtail frame with the best stiffness-to-weight ratio (STW) of its class. The well-thought-out new KTM HE-FC-M-R frame makes the difference (only 1000 grams at 48 cm), as does the brand new disc brake caliper postmount. The very same race geometry as the Score (73° seat, 71° head) helps provide decisive propulsion.

886-2-25006691
www.ktm-bikes.at

KTM Lycan 1.0

KTM unifies the best of both race and all-mountain in the new Lycan 1.0, featuring the floating Pro-Damping-System2. KTM combines its new LRR (Light-Reliable-Rigid) frame with a full 120mm of travel to create a first-class tourer. Seat tube angle of 70 or 73 degrees available. Marathon today, crossing the Alps tomorrow? No problem at all with the new KTM Lycan 1.0.

🌔 886-2-25006691 🛞 www.ktm-bikes.at



UNITED ENGINEERING P20 Deluxe

By combining brand new super-light tubing, innovative front triangle shape, and Chromalloy soft tail into an extremely flexible frame, the P20 Deluxe delivers an outstanding riding experience. Everyone can easily do long distance riding and hill-climbing with the P20-Deluxe. This mini velo was developed not only for short range city commuting purposes, but also to create a new and more adventurous riding experience.

886-3-3868020
www.khsbicycles.com.tw







GIGANTEX 20" Full Carbon Mini Bike

More than 90% of the parts for this 20" mini bike are made of carbon fiber composite materials, and all parts are designed and produced by Gigantex in Taiwan, making it an entirely Made In Taiwan product. Gigantex has combined multiple technologies and patents from over ten years of R&D to create the crank sets, handlebars and wheel sets. The complete mini bike weighs only 5.8 kgs, making it extremely easy to carry or transport. And although it is incredibly light, the stiffness and performance is more than enough for hill riding, racing, and leisure.

6 886-4-8873818 () equinox-bikes.com.tw

JEE ANN Clip Folding Bike

This simple, safe, and comfortable 21-speed 20" tandem has a folded size of 98x37x69cm. The patented frame design makes it easy to store in almost any car. Features include a patented folding mechanism for safety, and a Sachs 3x7 gear system for easy climbing on steep slopes.

🌔 886-49-2253116 🍈 www.jeeann.com.tw

REACH IDEA JOINT Free Go Assembling Bike

The Free Go Assembling Bike is designed to be simple and convenient. No tools or special skills are needed to assemble or disassemble the bike quickly. The bike is also easy to carry or transport when disassembled.

🌔 886-4-23013579



ASAHI Multi-Function Folding Bike

Most people in Taiwan who take public transportation often encounter a significant problem: public transportation won't take them everywhere they want to go, forcing commuters to rely on cars or scooters at public transportation end points. For this reason, Asahi developed this multi-function folding bike to meet commuters' endpoint transportation needs.

🌔 886-6-2540659 🕼 www.asahibike.com.tw



REACH IDEA JOINT

Free Go Quick Detachable Pedal

The quick detachable pedal is a fresh idea. Due to its unique design, these pedals can be detached and assembled quickly and easily. The released pedal can be plugged on the other side of the crank to save space. Detachable pedals make bikes easy to carry and store, yet are theft-proof as well. These pedals are suitable for all types of bike on the market.

🌔 886-4-23013579



EXUSTAR E-PM212 Pedals

The new design of the PM212 pedal continues Exustar's tradition of quality and ingenuity. This innovative pedal offers simplicity and ease of assembly and maintenance. Riders can select a translucent plastic body from a wide variety of colors.

🌔 886-4-23802686 🍈 www.exustar.com



A-PRO RDP

The RDP multi-pivot design allows for a fully engineered rear wheel travel path, leading to increased pedaling efficiency. Fine tuning and customizable shock rate give superior bump absorption and pedaling performance. The A-Pro RDP is an alternative to the popular Horst link design, with even better performance characteristics. Oversize tubes and attention to cross-bracing provide a stiff platform for superb handling.

(886-4-26821688 **(**) www.apro-tek.com



GIANT TCR Advanced SL Road bike

TCR Advanced SL is the lightest, stiffest, best-performing road bike ever produced by Giant. More than 10 years after it changed the face of high-performance bicycles with its revolutionary Compact Road Design, Giant unveiled the latest-generation of TCR. A combination of PowerCore with Overdrive and Megadrive makes the framesets super stiff and boosts greater pedaling efficiency. TCR Advanced SL was ridden to more professional wins by High Road's Team Columbia than any other road bike during the 2008 season.

0 886-4-2681-4771 () www.giant-bicycle.com





CHIA CHERNE Colorful Hydraulic Brake Hose Kits

Chia Cherne (Jagwire) has come out with high-quality hydraulic hose kits in most popular colors, for no more mismatched derailleur housing and hydraulic hose combinations. Constructed from high-grade Teflon lines and reinforced with Kevlar fibers.

() 886-4-7323090 **())** www.jagwireusa.com



IBERA Bottle Cage With Spout Cover

This bottle cage with attached spout cover keeps water bottle spouts clean when in the cage. Easy side access makes it suitable for narrow bike frames.

6 886-4-7990096

LOONEY-MAX foldable rear rack

This foldable carrier's wings can be set in 3 different positions: 6 o'clock, 3 & 9 o'clock, and 12 o'clock angles. The user can easily adjust the wings to proper positions according to the cargo dimensions. When the wings are set at the 12 o'clock angle, the user can tighten the cargo well to secure the cargo.

() 886-4-8811960 **())** www.humpert-asia.com



ZAW TINE Dual-Directional Pump

This lightweight, portable dual-direction pump is unique, innovative, and space-saving. Simple two-handed operation allows for double gas flow to quickly reach high pressure. Schrader, Presta, and Woods valves are provided.

() 886-4-7686511 **())** airbone.com.tw



Humpert-Asia EVO1 Bar End

EVO 1 Bar Ends with angle adjustment. Bar Ends are increasingly being used with ergonomically-shaped handlebars, but models designed with conventional clamping technology offer limited grip angles. EVO 1 Bar Ends feature an integrated ball joint, which enables easy angle adjustment.

() 886-2-2754-6068 **())** www.humpert-asia.com

YUEN I Invisible Stand

This kickstand is safe, goodlooking, and can withstand extensive use. and pleasant appearance. It fits perfectly on the frame when assembled, eliminating any dangers when riding and parking. Will not detract from the bike's design, and can fit on most frames.

C 886-4-7697615 () www.yueni.com.tw





Bike frame shapes change with each passing day, making traditional fixed-angle bottle cages difficult to place on the frame. The Exustar BC400 series bottle cage, with its simple adjustable angle, completely solves this problem, allowing the rider to easily retrieve his or her water bottle.

🌔 886-4-23802686 🍈 www.exustar.com

THUNDER HRPT-M&3D

These decals are available with embossed, shiny, or glossy effect, and protect the frame from scuffing or solvent damage. Different

effects can be combined to make a truly eye-catching design. Raw materials comply with RoHS and are certified by SGS.

6 886-4-23596098





KIND SHOCK CX9.5 Rear Shock

The CX9.5 can be used on all kinds of terrain, including road, fire trail, single track, bikepark and downhill. Now riders can own one bicycle for multiple terrains instead of owning a specific bike for each terrain. The CX9.5, with its five functions, can be adjusted by riders to suit the changing riding environment. This product provides a more economical and practical choice for consumers due to its adaptive nature.

() 886-6-2568575 **())** www.kssuspension.com



TIN ICH Comfort Grip Handlebar

Various angles help keep riders' wrists comfortable and in a natural position during riding, offering control to match any situations. Also offers a large elbow support space to help reduce jolting and jarring.

🌔 886-4-26762707



YANTEC EX-1 Bottom Bracket

This B.B. set is designed with taper roller bearings. No matter what roads riders choose, the EX-1 can bear huge impact from both the horizontal and vertical sides, keeping the bike stable and smooth and drastically reducing jolt. The EX-1 is eight times stronger than other products with ball bearings, thereby extending useful B.B. life.

886-4-25274394 ()) www.prestine.com.tw

FORMULA Complex Skewer

New innovation skewer is made of aluminum, plastic, and titanium composite materials, featuring an attractive two-color design.

886-4-25202755
www.xerowheel.com

KIND SHOCK Comfort-P5 seat post

The suspension spring inside this seat post helps the rider adjust the saddle angle automatically according to different riding forces, allowing the saddle to move with the rider's pelvis. The Comfort P-5 can be installed on almost any type of bicycle, but is especially recommended for downhill riding. Unique Saddle Lock design makes the seat post easy to install and remove.

🌔 886-6-2568575 🛛 🕕 www.kssuspension.com

KMC Champion Chain

Application of new technique on the outer plates makes champion chain more fashionable, a breakthrough to the traditional chain image. Bright color and beautiful image design can attract bicycle riders to choose the suitable color to match their own bicycle; the chains is also provided with protection, anti-stain, anti-rust, and wear durability function. Champion chain combines both great appearance and multifunctionality.

🌔 886-6-5900711 🛛 🚯 www.kmcchain.com

SR SUNTOUR AXON-15 Axle QLC

Very rigid system which can be fixed the through axle fork and can be released without using tools. No need to turn when fixing the wheel, just slip the axle into the fork. To release the wheel, simply pull the nut to remove the axle from the fork.

🜔 886-4-7695115 🕼 www.srsuntour-cycling.com









POST MODERNE

Mechanical Lock-out For Suspension Forks

This mechanical lock-out unit is designed for use in trekking/city bike suspension forks. It is a complete sub-assembly that is installed in a suspension fork depending on the needs of the customer (OEM company). This provides added value for OEM companies (flexible product levels) and a benefit for customers (added product function). The unit uses a combination of interlocking grooves and teeth to create a mechanical lock. An external control knob mounted on the top of the fork allows the rider to lock and un-lock the fork quickly with no tools. The system makes a clicking noise that tells the rider the unit is switched on and off.

🌔 886-3-4755171 🚯 www.postmodernce.com



DAH KEN/RST

Storm Lux Front Suspension Fork

The main goal of the RST Single Shock project is light weight. In order to achieve this, RST used magnesium, aluminum, and extremely light-weight nano-tech plastic bushings to enhance lubrication and reduce friction. The hydraulic lockout function allows rider to adjust the fork's status for different riding environments.

() 886-2-85212351 **())** www.rst.com.tw



SHEN SHYE AC Carbon Linkage Suspension Fork

This suspension fork is available in sizes ranging from 18" to 28". The damper system is oil and nitrogen, with MCU and spring. The lockout button on the top of the stem makes it easy to control. This fork is the best combination of strength and light weight.

() 886-4-8310787 **())** www.tforce-tech.com



SHEN SHYE One piece folding box with simply safety button and high pressure power

The one piece slim folding box. There is no any screws outside looking in the one piece slim folding box. And the new design with strong power inside, it can also extend the lifespan. The linkage design of the QR is not only easy to lock but also with the special design for safety button. Both simply use and safety function.

🌔 886-4-8310787 🝈 www.Ubike-tech.com



HSIN LUNG Hidden Control Cable Handlebar

This product is simple yet exquisite: the stem quill and the handlebar are hollow, with cross holes at all joints for the control cables to pass through. The whole bike will look better with hidden cables, and the cables will last longer as they will be shielded from the sun and rain.

🌔 886-3-5983721 🍿 www.satoribike.com



J.D. Easy detached adjustment stem

This adjustable angle stem is easily and quickly assembled. By reducing the bicycle's size, this stem makes the bike easier and less expensive to ship.

The bicycle dealer or rider can easily attach or detach the adjustable angle stem with a simple turn of a screw.

🜔 886-4-7681756 🛞 www.jdco.com.tw



GIGANTEX High Rigidity Carbon Wheel Set

This high-stiffness wheel set is equipped with reinforced spiral streaks as well as full carbon flat spokes. The reinforced spiral streaks offer a vertical stiffness up to 450kg, four or five times more rigid than most alloy rims. This wheel set affords stunning performance during sprinting.

🌔 886-4-8873818 🚯 equinox-bikes.com.tw



FORMULA Xero Racing Carbon Wheel Set

Maximum rigidity and torque transmission on a full carbon 50mm high profile rim offer significantly greater stability at high speeds. Full carbon hub with oversized flanges save weight and extend spoke life. The anti-bite design protects the alloy free-hub from cog damage.

🜔 886-4-25202755

POWERWAY Pawl springs loop for hub



New design of Ratcheting mechanism in free hub for the bicycle industry, pursuing the best quality and stability! Specially designed for used in High end light weight hub system.

Pawl springs loop is the newly design for the industry. Breakthrough the traditional ratcheting

mechanism in the free hub, the spring are made from stainless that keep rust away. This also keeps the teeth and pawl tight together to increase the stability on riding and racing. This simple production leads to efficient productivity to fit the market demand.

🌔 886-4-27066052 🍿 www.power-way.com.tw



Bengal Helix 2.1 hydraulic disc brake

The oil passage system is aluminum forged, compact hydraulic disc brake design with no sand hole and anodized black to avoid destroying by brake oil. Patented rotating reservoir that rotates 360 degrees so it fits all bars, all shifter pods.Brake pads have looseresistant design and limit wear indentation and dots that let you know when to replace the brake pads.Patented manufacture process to form the rim with sandblasting finish and the core is by painting process with pleasant appearance. The sand-blasting finish rotors are better performance than the normal grinding rotors at the beginning and improve anti-rust capability.

e 886-4-7203979 🛞 www.bengalperformance.com.tw



CHIA CHERNE Derailleur system inline adjuster

Derailleur system with inline adjustment extended. Easy toassemble for rides. Index added accuracy to shift for fine tuning the fit despite of vibration while riding.

() 886-4-7323090 **())** www.jagwireusa.com



EXUSTAR E-SR205 Sidewall Sole Shoes

Conventional cycling shoe soles are simply a platform for the foot, but the E-SR205 Sidewall Sole offers much more support by also partially encasing the sides of the foot. Using an advanced monocoque carbon fiber construction technique, the sole is built with varying degrees of stiffness and thickness in different areas. The sole is totally rigid, while the stiffness of the walls varies according to the degree of flexibility required. This translates into increased power transfer, greater comfort, and impact protection at a light weight.

🌔 886-4-23802686 🚯 www.exustar.com



LEECHI

Synchronous moving brake

This brake has parabola slideway and nestle slideway of roller on the overlap position of two brake arms. Use succession mechanism that parabola slideway and nestle slideway of roller combine, and one spring of unilateral arms, the efficiency of applying the brake of letting two brake arms produce the synchronous balance and brake.

🌔 886-4-7382121 🍿 www.leechi.com.tw

LEECHI Bicycle Break Lever

Two pieces type brake lever is designed, make the lever possess folding, facilitate the folding of the bicycle. While folding, the lever



becket lock device will be released alone. While opening, only need to lock the device regularly, didn't adjust handlebar or brake lever angle, can it return to rider setting that brake lever position, enable riding the use that the persons who ride can be simple and convenient. The lock device can prevent lever becket and clamp from separate. The tuner can compel and prevent becoming flexible lever becket and clamp closely.

() 886-4-7382121 **())** www.leechi.com.tw

SR SUNTOUR FD-RAIDON Front derailleur

This idea is relating to front derailleur. Traditional front derailleur is less function compare to rear Derailleur. There are some idea to improve the shifting performance based on the ring design, but if it is



too much, it causes to chain trouble(such as chain jam)

This new FD idea is improving the front shifting performance ,Especially when shifting down, less friction is applied on the front Chain wheel.

🌔 886-4-7695115 🕼 www.srsuntour-cycling.com



IBERA Seat bag quick-Realease System

This quick release system for seat bags fits on the seat post. Users can adjust the seat bag angle to fit various saddle types.

6 886-4-7990096



YUAN WEN SHING Bicycle Lock

At present the ring lock is more convenience than cable lock. Ring lock can easy to fix effectively on the frame. Also, it is easy to operate open/lock lock without hold action. But ring lock cannot same as cable lock has one more security function. The cable lock can lock with bike and the telephone pole (or jiffy stand) together in the same place. To avoids thief carry off whole bike. Therefore, we want to make up ring lock insufficient. Today, we presently develop a new ring lock with a cable rope to contact cylinder case.

🌔 886-4-8855111 🛛 🛞 www.yws.com.tw





Remostar

Bottle style two-in-one bicycle alarm

This innovative new bottle style microcomputer-controlled multi-function bicycle alarm is easily concealed in a bottle rack. It functions as both a drinking bottle and an alarm. Its power-saving key lock keeps it securely in place. Built-in microwave sensor. Designed especially to protect high-price bicycles.

🌔 886-2-8512-2097 🕼 www.taiwantrade.com.tw/remostar

YABAN Imitation Anodized Chain

YBN uses a special imitation anodizing treatment to manufacture a shiny, colorful chain. This treatment makes chains both hardwearing and rust resistant. Chains treated with this process resisted rust five times longer than ordinary nickel-coating chains.

🌔 886-6-5932704 🕼 www.yaban.com



BIRZMAN HEXTRACTOR HEXKEYS



TAIWAN VERTEX Multifix handle bar bag mount

Unique "insurance lock" mechanisms secure the bag mounting against loose-off even under bumpy off-road riding. One finger press in red lock and push down yellow button to unlock and easily dismount the bag with two hands.Stainless band clamps with secure tightening of pulling tabs.Unique stainless connector of the clamps can be well tightened and fixed with handle bar inside of the face plate. This connector can hold it securely for heavy loading against slide-down.In addition to its standard bag plates it can also well fit and mount to the major bag plates or bracket in the market.Stainless clamps only to fit 31.8mm and 25.4mm with additional spacers.

(886-2-2680-7007 **(**) www.tw-vertex.com.tw